

FRIEDMAN & BRUYA, INC.**ENVIRONMENTAL CHEMISTS****Date of Report: November 11, 1994****Date Received: November 9, 1994****Project: Metro Self Monitor, #7238, PO #M 37140****Date Samples Extracted: November 9, 1994****RESULTS FROM THE ANALYSIS OF THE WATER SAMPLE
FOR CHROMIUM, COPPER, NICKEL AND ZINC
Results Reported as mg/L (ppm)**

<u>Sample ID</u>	<u>Chromium</u>	<u>Copper</u>	<u>Nickel</u>	<u>Zinc</u>
M 37140	0.69	0.44	0.47	0.06

Quality Assurance

Blank	<0.05	<0.05	<0.05	<0.05
-------	-------	-------	-------	-------

M 37140 (Duplicate)	0.68	0.43	0.46	0.06
------------------------	------	------	------	------

M 37140 (Matrix Spike) % Recovery	94%	97%	91%	92%
---	-----	-----	-----	-----

M 37140 (Matrix Spike Duplicate) % Recovery	95%	94%	92%	89%
---	-----	-----	-----	-----

Spike Blank % Recovery	101%	103%	101%	101%
---------------------------	------	------	------	------

Spike Level	5	5	10	5
-------------	---	---	----	---

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Andrew John Friedman
James E. Bruya, Ph.D.
(206) 285-8282

3012 16th Avenue West
Seattle, WA 98119-2029
FAX: (206) 283-5044

DUPLICATE COPY

November 11, 1994

INVOICE # 94ACU1111-1

**Alaskan Copper Works
628 South Hanford
Seattle, WA 98134**

**RE: Project Metro Self Monitor, #7238, PO #M 37140: Results of testing
requested by Gerald Thompson, Project Leader for material submitted on
November 9, 1994.**

**1 water sample analyzed for Chromium, Copper,
Nickel and Zinc @ \$65 per sample**

\$ 65.00

Amount Due

\$ 65.00

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Andrew John Friedman
James E. Bruya, Ph.D.
(206) 285-8282

3012 16th Avenue West
Seattle, WA 98119-2029
FAX: (206) 283-5044

November 11, 1994

**Gerald Thompson, Project Leader
Alaskan Copper Works
628 South Hanford
Seattle, WA 98134**


Dear Mr. Thompson:

Enclosed are the results from the testing of material submitted on November 9, 1994 from your Metro Self Monitor project, #7238, PO #M 37140.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.



**Bradley T. Benson
Chemist**

**jdp
Enclosures**

ACU1111R

AKC-0013100